



No Lesen : PP075307

Licence No :

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM



ACB 001



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

PANASONIC MANUFACTURING MALAYSIA BERHAD
LOT 9, JALAN PELABUR 23/1
SEKSYEN 23, SHAH ALAM INDUSTRI SITE
40300 SHAH ALAM
SELANGOR, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

ELECTRIC CEILING FANS AND REGULATORS

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

MS IEC 60335-1 : 2015
MS 1597 : PART 2-80 : 2010
MS 1220 : 2010

Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : Panasonic
 Model : F-M15A0
 Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
 STAR RATING = 5
 Size : 1500mm (60")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
 Model : F-M12A0
 Rating : 240V~, 50Hz, 54W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
 STAR RATING = 5
 Size : 1200mm (48")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : KDK
 Model : K15V0
 Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
 STAR RATING = 5
 Size : 1500mm (60")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
 Model : K12V0
 Rating : 240V~, 50Hz, 54W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
 STAR RATING = 5
 Size : 1200mm (48")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
 Model : K15W0-S
 Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.24m³/min/Watt,
 STAR RATING = 5
 Size : 1500mm (60")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6400
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : Panasonic
Model : F-M14C2
Rating : 240V~, 50Hz, 65W, CO-EFFICIENT OF PERFORMANCE (COP): 3.21m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : KDK
Model : K14X2
Rating : 240V~, 50Hz, 65W, CO-EFFICIENT OF PERFORMANCE (COP): 3.21m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M12D2
Rating : 240V~, 50Hz, 65W, CO-EFFICIENT OF PERFORMANCE (COP): 3.10m³/min/Watt,
STAR RATING = 5
Size : 1200mm (48")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M15E2
Rating : 240V~, 50Hz, 85W, CO-EFFICIENT OF PERFORMANCE (COP): 2.87m³/min/Watt,
STAR RATING = 4
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K15Y2
Rating : 240V~, 50Hz, 85W, CO-EFFICIENT OF PERFORMANCE (COP): 2.87m³/min/Watt,
STAR RATING = 4
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : KDK
Model : K14Y2
Rating : 240V~, 50Hz, 85W, CO-EFFICIENT OF PERFORMANCE (COP): 2.68m³/min/Watt,
STAR RATING = 3
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M14E2
Rating : 240V~, 50Hz, 85W, CO-EFFICIENT OF PERFORMANCE (COP): 2.68m³/min/Watt,
STAR RATING = 3
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M15H5
Rating : 240V~, 50Hz, 41W, CO-EFFICIENT OF PERFORMANCE (COP): 5.87m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K15Z5
Rating : 240V~, 50Hz, 41W, CO-EFFICIENT OF PERFORMANCE (COP): 5.87m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M14HW
Rating : 240V~, 50Hz, 41W, CO-EFFICIENT OF PERFORMANCE (COP): 6.38m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : KDK
Model : K14ZW
Rating : 240V~, 50Hz, 41W, CO-EFFICIENT OF PERFORMANCE (COP): 6.38m³/min/Watt, STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M15GW
Rating : 240V~, 50Hz, 63W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP): 6.92m³/min/Watt, STAR RATING = 5
Size : 1500mm (60")



Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K15UW
Rating : 240V~, 50Hz, 63W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP): 6.92m³/min/Watt, STAR RATING = 5
Size : 1500mm (60")

Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M12GX
Rating : 240V~, 50Hz, 46W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP): 7.78m³/min/Watt, STAR RATING = 5
Size : 1200mm (48")

Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K12UX
Rating : 240V~, 50Hz, 46W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP): 7.78m³/min/Watt, STAR RATING = 5
Size : 1200mm (48")

Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : Panasonic
Model : F-M15EX
Rating : 240V~, 50Hz, 41W, CO-EFFICIENT OF PERFORMANCE (COP): 6.04m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : KDK
Model : K15YX
Rating : 240V~, 50Hz, 41W, CO-EFFICIENT OF PERFORMANCE (COP): 6.04m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M18LY
Rating : 240V~, 50Hz, 55W, CO-EFFICIENT OF PERFORMANCE (COP): 6.56m³/min/Watt,
STAR RATING = 5
Size : 1800mm (70"). MEPS requirement only for size 60" and below.
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019

Trade Mark : KDK
Model : K18NY
Rating : 240V~, 50Hz, 55W, CO-EFFICIENT OF PERFORMANCE (COP): 6.56m³/min/Watt,
STAR RATING = 5
Size : 1800mm (70"). MEPS requirement only for size 60" and below.
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019

Trade Mark : Panasonic
Model : F-M20LY
Rating : 240V~, 50Hz, 60W, CO-EFFICIENT OF PERFORMANCE (COP): 6.41m³/min/Watt,
STAR RATING = 5
Size : 2000mm (80"). MEPS requirement only for size 60" and below.
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : Panasonic
Model : F-M14CZ
Rating : 240V~, 50Hz, 68W, CO-EFFICIENT OF PERFORMANCE (COP): 3.27m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : KDK
Model : K14XZ
Rating : 240V~, 50Hz, 68W, CO-EFFICIENT OF PERFORMANCE (COP): 3.27m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")



Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M14DZ
Rating : 240V~, 50Hz, 69W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")

Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K14YZ
Rating : 240V~, 50Hz, 69W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")

Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M15AC
Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")

Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : KDK
Model : K15VC
Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M15GC
Rating : 240V~, 50Hz, 73W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP):
5.69m³/min/Watt, STAR RATING = 5
Size : 1500mm (60")



With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K15UC
Rating : 240V~, 50Hz, 73W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP):
5.69m³/min/Watt, STAR RATING = 5
Size : 1500mm (60")

With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M15EC
Rating : 240V~, 50Hz, 54W, CO-EFFICIENT OF PERFORMANCE (COP): 6.036m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")

With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : KDK
Model : K15YC
Rating : 240V~, 50Hz, 54W, CO-EFFICIENT OF PERFORMANCE (COP): 6.036m³/min/Watt, STAR RATING = 5
Size : 1500mm (60")
With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M12GC
Rating : 240V~, 50Hz, 50W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP): 6.46m³/min/Watt, STAR RATING = 5
Size : 1200mm (48")



With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K12UC
Rating : 240V~, 50Hz, 50W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP): 6.46m³/min/Watt, STAR RATING = 5
Size : 1200mm (48")
With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M12EC
Rating : 240V~, 50Hz, 31W, CO-EFFICIENT OF PERFORMANCE (COP): 6.60m³/min/Watt, STAR RATING = 5
Size : 1200mm (48")
With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : KDK
Model : K12YC
Rating : 240V~, 50Hz, 31W, CO-EFFICIENT OF PERFORMANCE (COP): 6.60m³/min/Watt,
STAR RATING = 5
Size : 1200mm (48")
With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M15B0
Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5



Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K15W0
Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K12W0
Rating : 240V~, 50Hz, 54W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5
Size : 1200mm (48")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : Panasonic
 Model : F-M12DE
 Rating : 240V~, 50Hz, 65W, CO-EFFICIENT OF PERFORMANCE (COP): 3.10m³/min/Watt,
 STAR RATING = 5 star
 Size : 1200mm (48")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
 Model : F-M15ME
 Rating : 240V~, 50Hz, 43W, CO-EFFICIENT OF PERFORMANCE (COP): 5.65m³/min/Watt,
 STAR RATING = 5 star



Size : 1500mm (60")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010, IEC 60335-2-65:2002 (2nd Ed.) + A1:2008 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
 Model : F-M14FE
 Rating : 240V~, 50Hz, 29W, CO-EFFICIENT OF PERFORMANCE (COP): 9.22m³/min/Watt,
 STAR RATING = 5 star
 Size : 1400mm (56")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
 Model : K14TE
 Rating : 240V~, 50Hz, 29W, CO-EFFICIENT OF PERFORMANCE (COP): 9.22m³/min/Watt,
 STAR RATING = 5 star
 Size : 1400mm (56")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6400
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : Panasonic
 Model : F-M14ME
 Rating : 240V~, 50Hz, 43W, CO-EFFICIENT OF PERFORMANCE (COP): 6.29m³/min/Watt,
 STAR RATING = 5
 Size : 1400mm (56")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019, IEC 60335-2-65:2002 (2nd Ed.) + A1:2008 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : KDK
 Model : K11ZF
 Rating : 240V~, 50Hz, 58W, CO-EFFICIENT OF PERFORMANCE (COP): 3.02m³/min/Watt,
 STAR RATING = 5



Size : 1100mm (44")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
 Model : K14QF
 Rating : 240V~, 50Hz, 29W, CO-EFFICIENT OF PERFORMANCE (COP): 8.58m³/min/Watt,
 STAR RATING = 5

Size : 1400mm (56")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
 Model : K14XF
 Rating : 240V~, 50Hz, 65W, CO-EFFICIENT OF PERFORMANCE (COP) 3.58m³/min/Watt,
 STAR RATING = 5

Size : 1400mm (56")
 Product tested to IEC 60335-1:2010 (ed5.0) + A1:2013 + A2:2016 in conjunction with IEC 60335-2-80 (ed3.0): 2015 and MS 1597-2-80:2019 and EE tested to MS 1220:2010 and Energy Commission Requirement

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6400
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : KDK
Model : K14KF
Rating : 240V~, 50Hz, 65W, CO-EFFICIENT OF PERFORMANCE (COP) 3.58m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (ed5.0) + A1:2013 + A2:2016 in conjunction with IEC
60335-2-80 (ed3.0): 2015 and MS 1597-2-80:2019 and EE tested to MS 1220:2010 and
Energy Commission Requirement



Trade Mark : Panasonic
Model : F-M14CF
Rating : 240V~, 50Hz, 65W, CO-EFFICIENT OF PERFORMANCE (COP) 3.58m³/min/Watt,
STAR RATING = 5



Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (ed5.0) + A1:2013 + A2:2016 in conjunction with IEC
60335-2-80 (ed3.0): 2015 and MS 1597-2-80:2019 and EE tested to MS 1220:2010 and
Energy Commission Requirement

End of page

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2024

Valid Until

Tarikh Dikeluarkan : 04 January 2024

Issue Date

No Siri : 093417

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.