



SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-002999
Licence No : PP075307

Date : 09/06/2025

PANASONIC MANUFACTURING MALAYSIA BERHAD
LOT 9, JALAN PELABUR 23/1
SEKSYEN 23, SHAH ALAM INDUSTRI SITE
40300 SHAH ALAM
SELANGOR, MALAYSIA

Attn : MR. IZRIN KHEIRANY BIN KASDIRIN

Tel No : 603-58915555

Fax No : 603-58915551

Dear Sir/Madam,

Product Certification Licence

Product : ELECTRIC CEILING FANS AND REGULATORS

Standard : MS IEC 60335-1 : 2015 MS 1597 : PART 2-80 : 2010 MS 1220 : 2010

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : RAIHAN BINTI SULAIMAN

Contact No : 6017-2759404

Email : raihan@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

PANASONIC MANUFACTURING MALAYSIA BERHAD
LOT 9, JALAN PELABUR 23/1
SEKSYEN 23, SHAH ALAM INDUSTRI SITE
40300 SHAH ALAM
SELANGOR, MALAYSIA



ACB 001

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

ELECTRIC CEILING FANS AND REGULATORS

Please refer to detail in the SCHEDULE



sebagai mematuhi keperluan
as complying with

MS IEC 60335-1 : 2015
MS 1597 : PART 2-80 : 2010
MS 1220 : 2010



Ts. Md. Adha bin Katni @ Rahmat
Pemangku Ketua Pegawai Eksekutif
Acting Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 June 2025

Issue Date

No Siri : 111998

Serial No

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : Panasonic
 Model : F-M15A0
 Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
 STAR RATING = 5
 Size : 1500mm (60")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
 Model : F-M12A0
 Rating : 240V~, 50Hz, 54W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
 STAR RATING = 5
 Size : 1200mm (48")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : KDK
 Model : K15V0
 Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
 STAR RATING = 5
 Size : 1500mm (60")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
 Model : K12V0
 Rating : 240V~, 50Hz, 54W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
 STAR RATING = 5
 Size : 1200mm (48")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
 Model : K15W0-S
 Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.24m³/min/Watt,
 STAR RATING = 5
 Size : 1500mm (60")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 June 2025

Issue Date

No Siri : 111998

Serial No

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : Panasonic
Model : F-M12D2
Rating : 240V~, 50Hz, 65W, CO-EFFICIENT OF PERFORMANCE (COP): 3.08m³/min/Watt,
STAR RATING = 5
Size : 1200mm (48")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M15E2
Rating : 240V~, 50Hz, 85W, CO-EFFICIENT OF PERFORMANCE (COP): 2.81m³/min/Watt,
STAR RATING = 4
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : KDK
Model : K15Y2
Rating : 240V~, 50Hz, 85W, CO-EFFICIENT OF PERFORMANCE (COP): 2.81m³/min/Watt,
STAR RATING = 4
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K14Y2
Rating : 240V~, 50Hz, 85W, CO-EFFICIENT OF PERFORMANCE (COP): 2.86m³/min/Watt,
STAR RATING = 4
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M14E2
Rating : 240V~, 50Hz, 85W, CO-EFFICIENT OF PERFORMANCE (COP): 2.86m³/min/Watt,
STAR RATING = 4
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 June 2025

Issue Date

No Siri : 111998

Serial No

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : Panasonic
Model : F-M15H5
Rating : 240V~, 50Hz, 41W, CO-EFFICIENT OF PERFORMANCE (COP): 5.87m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : KDK
Model : K15Z5
Rating : 240V~, 50Hz, 41W, CO-EFFICIENT OF PERFORMANCE (COP): 5.87m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M14HW
Rating : 240V~, 50Hz, 41W, CO-EFFICIENT OF PERFORMANCE (COP): 6.38m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K14ZW
Rating : 240V~, 50Hz, 41W, CO-EFFICIENT OF PERFORMANCE (COP): 6.38m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M15GW
Rating : 240V~, 50Hz, 63W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP):
6.92m³/min/Watt, STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 June 2025

Issue Date

No Siri : 111998

Serial No

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : KDK
Model : K15UW
Rating : 240V~, 50Hz, 63W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP):
6.92m³/min/Watt, STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M12GX
Rating : 240V~, 50Hz, 46W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP):
7.97m³/min/Watt, STAR RATING = 5
Size : 1200mm (48")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : KDK
Model : K12UX
Rating : 240V~, 50Hz, 46W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP):
7.97m³/min/Watt, STAR RATING = 5
Size : 1200mm (48")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M15EX
Rating : 240V~, 50Hz, 41W, CO-EFFICIENT OF PERFORMANCE (COP): 6.04m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K15YX
Rating : 240V~, 50Hz, 41W, CO-EFFICIENT OF PERFORMANCE (COP): 6.04m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 June 2025

Issue Date

No Siri : 111998

Serial No

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : Panasonic
 Model : F-M18LY
 Rating : 240V~, 50Hz, 55W, CO-EFFICIENT OF PERFORMANCE (COP): 6.56m³/min/Watt, STAR RATING = 5
 Size : 1800mm (70"). MEPS requirement only for size 60" and below.
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019



Trade Mark : KDK
 Model : K18NY
 Rating : 240V~, 50Hz, 55W, CO-EFFICIENT OF PERFORMANCE (COP): 6.56m³/min/Watt, STAR RATING = 5
 Size : 1800mm (70"). MEPS requirement only for size 60" and below.
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019



Trade Mark : Panasonic
 Model : F-M20LY
 Rating : 240V~, 50Hz, 60W, CO-EFFICIENT OF PERFORMANCE (COP): 6.41m³/min/Watt, STAR RATING = 5
 Size : 2000mm (80"). MEPS requirement only for size 60" and below.
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019

Trade Mark : Panasonic
 Model : F-M14CZ
 Rating : 240V~, 50Hz, 68W, CO-EFFICIENT OF PERFORMANCE (COP): 3.27m³/min/Watt, STAR RATING = 5
 Size : 1400mm (56")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
 Model : K14XZ
 Rating : 240V~, 50Hz, 68W, CO-EFFICIENT OF PERFORMANCE (COP): 3.27m³/min/Watt, STAR RATING = 5
 Size : 1400mm (56")
 Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Tarikh Dikeluarkan : 09 June 2025

Issue Date

No Siri : 111998

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : Panasonic
Model : F-M14DZ
Rating : 240V~, 50Hz, 69W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : KDK
Model : K14YZ
Rating : 240V~, 50Hz, 69W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M15AC
Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K15VC
Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M15GC
Rating : 240V~, 50Hz, 73W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP):
5.97m³/min/Watt, STAR RATING = 5
Size : 1500mm (60")
With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Tarikh Dikeluarkan : 09 June 2025

Issue Date

No Siri : 111998

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : KDK
Model : K15UC
Rating : 240V~, 50Hz, 73W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP):
5.97m³/min/Watt, STAR RATING = 5
Size : 1500mm (60")
With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) +
A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested
to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M15EC
Rating : 240V~, 50Hz, 54W, CO-EFFICIENT OF PERFORMANCE (COP): 5.42m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")



With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) +
A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested
to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K15YC
Rating : 240V~, 50Hz, 54W, CO-EFFICIENT OF PERFORMANCE (COP): 5.42m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")

With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) +
A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested
to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M12GC
Rating : 240V~, 50Hz, 50W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP):
6.97m³/min/Watt, STAR RATING = 5
Size : 1200mm (48")

With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) +
A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested
to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 June 2025

Issue Date

No Siri : 111998

Serial No

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : KDK
Model : K12UC
Rating : 240V~, 50Hz, 50W (Fan & Light), CO-EFFICIENT OF PERFORMANCE (COP): 6.97m³/min/Watt, STAR RATING = 5
Size : 1200mm (48")
With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M12EC
Rating : 240V~, 50Hz, 31W, CO-EFFICIENT OF PERFORMANCE (COP): 7.17m³/min/Watt, STAR RATING = 5
Size : 1200mm (48")



With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K12YC
Rating : 240V~, 50Hz, 31W, CO-EFFICIENT OF PERFORMANCE (COP): 7.17m³/min/Watt, STAR RATING = 5
Size : 1200mm (48")

With WiFi module (model: DNSK-P11). Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M15B0
Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt, STAR RATING = 5
Size : 1500mm (60")

Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : **31 December 1996**

Certified Since

Sah Sehingga : **31 December 2025**

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : **09 June 2025**

Issue Date

No Siri : 111998

Serial No

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : KDK
Model : K15W0
Rating : 240V~, 50Hz, 72W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : KDK
Model : K12W0
Rating : 240V~, 50Hz, 54W, CO-EFFICIENT OF PERFORMANCE (COP): 3.18m³/min/Watt,
STAR RATING = 5
Size : 1200mm (48")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M12DE
Rating : 240V~, 50Hz, 65W, CO-EFFICIENT OF PERFORMANCE (COP): 3.08m³/min/Watt,
STAR RATING = 5 star
Size : 1200mm (48")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M15ME
Rating : 240V~, 50Hz, 43W, CO-EFFICIENT OF PERFORMANCE (COP): 5.65m³/min/Watt,
STAR RATING = 5 star
Size : 1500mm (60")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010, IEC 60335-2-65:2002 (2nd Ed.) + A1:2008 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M14FE
Rating : 240V~, 50Hz, 29W, CO-EFFICIENT OF PERFORMANCE (COP): 9.22m³/min/Watt,
STAR RATING = 5 star
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 09 June 2025

Issue Date

No Siri : 111998

Serial No

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : KDK
Model : K14TE
Rating : 240V~, 50Hz, 29W, CO-EFFICIENT OF PERFORMANCE (COP): 9.22m³/min/Watt, STAR RATING = 5 star
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2010 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : Panasonic
Model : F-M14ME
Rating : 240V~, 50Hz, 43W, CO-EFFICIENT OF PERFORMANCE (COP): 6.29m³/min/Watt, STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019, IEC 60335-2-65:2002 (2nd Ed.) + A1:2008 and EE tested to MS 1220:2010, MS 2574:2014



Trade Mark : KDK
Model : K11ZF
Rating : 240V~, 50Hz, 58W, CO-EFFICIENT OF PERFORMANCE (COP): 2.76m³/min/Watt, STAR RATING = 4
Size : 1100mm (44")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K14QF
Rating : 240V~, 50Hz, 29W, CO-EFFICIENT OF PERFORMANCE (COP): 8.58m³/min/Watt, STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K14XF
Rating : 240V~, 50Hz, 65W, CO-EFFICIENT OF PERFORMANCE (COP) 3.58m³/min/Watt, STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (ed5.0) + A1:2013 + A2:2016 in conjunction with IEC 60335-2-80 (ed3.0): 2015 and MS 1597-2-80:2019 and EE tested to MS 1220:2010 and Energy Commission Requirement

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Tarikh Dikeluarkan : 09 June 2025

Issue Date

No Siri : 111998

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD



Trade Mark : KDK
Model : K14KF
Rating : 240V~, 50Hz, 65W, CO-EFFICIENT OF PERFORMANCE (COP) 3.58m³/min/Watt, STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (ed5.0) + A1:2013 + A2:2016 in conjunction with IEC 60335-2-80 (ed3.0): 2015 and MS 1597-2-80:2019 and EE tested to MS 1220:2010 and Energy Commission Requirement



Trade Mark : Panasonic
Model : F-M14CF
Rating : 240V~, 50Hz, 65W, CO-EFFICIENT OF PERFORMANCE (COP) 3.58m³/min/Watt, STAR RATING = 5
Size : 1400mm (56")



Product tested to IEC 60335-1:2010 (ed5.0) + A1:2013 + A2:2016 in conjunction with IEC 60335-2-80 (ed3.0): 2015 and MS 1597-2-80:2019 and EE tested to MS 1220:2010 and Energy Commission Requirement

Trade Mark : Panasonic
Model : F-M14JH
Rating : 230V~, 50Hz, 38W, CO-EFFICIENT OF PERFORMANCE (COP): 6.69m³/min/Watt, STAR RATING = 5
Size : 1400mm (56")

Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : KDK
Model : K14PH
Rating : 230V~, 50Hz, 38W, CO-EFFICIENT OF PERFORMANCE (COP): 6.69m³/min/Watt, STAR RATING = 5
Size : 1400mm (56")

Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

Trade Mark : Panasonic
Model : F-M14SH
Rating : 230V~, 50Hz, 38W, CO-EFFICIENT OF PERFORMANCE (COP): 6.62m³/min/Watt, STAR RATING = 5
Size : 1400mm (56")

Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Tarikh Dikeluarkan : 09 June 2025

Issue Date

No Siri : 111998

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

PANASONIC MANUFACTURING MALAYSIA BERHAD

Trade Mark : KDK
Model : K14RH
Rating : 230V~, 50Hz, 38W, CO-EFFICIENT OF PERFORMANCE (COP): 6.62m³/min/Watt,
STAR RATING = 5
Size : 1400mm (56")
Product tested to IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016, IEC 60335-2-
80:2015 (3rd Edition), MS 1597-2-80:2019 and EE tested to MS 1220:2010, MS 2574:2014

End of page



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 31 December 1996

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Tarikh Dikeluarkan : 09 June 2025

Issue Date

No Siri : 111998

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.